

Croupy Child Pathway Care Bundle

CHILD'S DETAILS

Name

Date of Birth

Age

Address

Gender

NHS number

Standard to be met

YES

NO

**N/A or
comment**

Date

**By
whom**

Parents have been given the correct steroid at home. Steroid administration has been fully explained.

CYP has tolerated the oral dose(s) of steroid as required

Croup leaflet given and content explained including warning symptoms and signs and when and where to seek medical attention if deteriorates

Parents have contact numbers for ACE team and CCDA					
Management of future episodes of croup discussed with parents					
CCDA has been informed of patient's details					

Treatment Recommended For Croup Specific Pathway

All children referred on the croupy child pathway will be expected to meet the referral criteria and have no red flag signs. Patient's will have been prescribed two doses of oral steroid either Prednisolone OR Dexamethasone as directed by BNFc.

Croup Pathway Specific Safety Net Advice

Advice given on adequate hydration and management of pyrexia	Yes		No	
Advice given regarding what to do if child shows signs of deterioration including resting stridor, grunting, drooling or reducing conscious level and when to seek urgent medical help	Yes		No	
Advice given on what to do if child starts to complain of chest or abdomen pain	Yes		No	
Advice given on what to do if child has any colour changes or cyanotic episodes.	Yes		No	

Safety net advice given to parents if any of the above symptoms develop.

