


Outpatient Parenteral Antimicrobial Therapy (OPAT) service

Patient information leaflet
for home administration

What is the OPAT service?

It is a team that provides intravenous (IV) antimicrobial therapy at home for patients who have been assessed and are suitable for this service. The antibiotics will be given through a longer cannula (known as a PICC line) that is inserted into your arm prior to being discharged from the hospital. It is intended to be an alternative to receiving treatment in hospital and allows you to recuperate in your own home.



Who decides if I can receive antibiotics at home?

The doctor looking after you on the ward and the doctor in charge of the OPAT service will decide if you can receive your treatment at home. You will need to be medically stable (not needing to be in hospital for any other reason) and not live alone at home.

What are the benefits?

- Your stay in hospital is shorter
- You can recover from your illness at home, whilst still receiving treatment
- You will have blood tests taken weekly by the nurses at home (may be more frequently if the OPAT hospital team feel it is necessary).

What are the risks?

- Some patients can have allergic reactions to antibiotics but this is rare (see back of leaflet)
- Your PICC line may become blocked and you may need to come back to hospital to have it unblocked by our specialist team
- Infection can sometimes develop in the PICC line

Who will be giving my IV antibiotics?

Your antibiotics will be given by Bionical homecare nurses (a company the OPAT hospital service has a contract with to provide care) in your home. The homecare nurses will also take blood weekly for the blood tests. You will usually be visited daily by the homecare nurses.

How long will I receive treatment from the OPAT Service?

This will depend upon the infection we are treating. Antibiotic treatment ranges from a few days to several weeks of treatment. Your case will be reviewed by our team once a week in the OPAT virtual ward round to check that the treatment is effective and safe.

You will still be under the care of the

that you were under whilst an inpatient and they arrange clinic appointments with you.

What if I feel unwell at home?

It is rare to experience any problems on this treatment but if you do develop any of the following symptoms or notice your line or the skin around your line does not look right, please call the contact numbers on the back of this leaflet.


Symptoms to report to nursing team:

- Rash
- Diarrhoea
- High temperature/fever
- Blocked PICC line
- Pain swelling redness around the PICC line

If you have an allergic reaction and experience any of the symptoms below call 999

Symptoms of an allergic reaction:

- Swelling to lips, mouth and tongue
- Difficulty breathing
- Wheezing
- Redness/hives to skin



Redness/hives to skin

Contact numbers

In an emergency please call 999 or attend your nearest Emergency Department.

To contact the OPAT hospital team:

OPAT Co-ordinator is available between
8.00am – 4.00pm, Monday to Friday
(or please leave a message outside of these hours).

Contact: 01274 382248

or

OPAT Nurse Specialist is available between
8.00am – 4.00 pm, Monday to Friday
(or please leave a message outside of these hours).

Contact: 07799639693

Baxter helpline (company who supply the antibiotics)
0800 0288 966

People with hearing and speech difficulties

You can contact us using the Relay UK app. Textphone users will need to dial 18001 before the number to be contacted.

Accessible Information

If you need this information in another format or language, please ask a member of staff.

Smoking

Bradford Teaching Hospitals NHS Foundation Trust is a smoke-free organisation. You are not permitted to smoke or use e-cigarettes in any of the hospital buildings or grounds.

DRAFT

Author: Caitlin Edlington
Date Published: July 2022
Review Date: July 2024
MID Ref: 22071101
Designed by Medical Illustration
Medical.Illustration@bthft.nhs.uk